

STANDING SERVER CABINET

600MM WIDE WITH GLASS DOOR



Equipped with

- ◆ Removable side walls
- ◆ Floor and roof plate with prepared ventilation openings
- ◆ 4x 19 inch profile with height indication
- ◆ Doors to open both on the right side and on the left side
- ◆ Cable entry at the top and bottom
- ◆ Front door, rear door and side walls equipped with locks
- ◆ Assembled delivery
- ◆ Fully demountable


Maximum load

- ◆ 800 kg

Included


- ◆ 20 cage nut sets
- ◆ 4 height adjustable feet
- ◆ 8 keys (2 per lock)

SPECIFICATIONS




Number	Name	Amount
1	Top plate with cable entry	1
2	Bottom plate	1
3	Doorframes	2
4	Glass door with lock	1
5	Back door with lock	1
6	Removable side walls with lock	2
7	Horizontal crossbars	6
8	Vertical profile rails	4
9	Height adjustable feet	4

DETAILED DRAWING




Bottom view




Side view




Front view



Side view




Back view




Top view

OPTIONS

The 800mm wide server cabinets with glass door are equipped with a glass door on the front side and a metal back door on the backside of the cabinet.



Glass front door




Metal back door

EXPLANATION ITEM NUMBERS

Our server cabinets are available in various sizes. The item numbers are based on the dimensions of our server cabinets, making it particularly easy to find the right server cabinet.

DS6618



POSSIBLE DIMENSIONS

Width		Depth		Height	
600 mm	6	600 mm	6	18U	18
		800 mm	8	22U	22
		1000 mm	0	27U	27
		1200 mm	2	32U	32
				37U	27
				42U	42
				47U	47

Example 1: 600 mm width x 800 mm depth x 42U height => **6-8-42** = DS6842

Example 2: 600 mm width x 1000 mm depth x 22U height => **6-0-22** = DS6022

ITEM NUMBERS STANDING SERVER CABINETS 600MM BREED MET GLAZEN DEUR

Model	Height	Dimensions in mm (w x d x h)	Dimensions in mm (w x d x h) Included packaging	Weight in KG
DS6618	18U	600 x 600 x 1000	650 x 650 x 1120	44
DS6818	18U	600 x 800 x 1000	650 x 850 x 1120	53
DS6018	18U	600 x 1000 x 1000	650 x 1050 x 1135	58
DS6622	22U	600 x 600 x 1200	650 x 650 x 1300	50
DS6822	22U	600 x 800 x 1200	650 x 850 x 1300	58
DS6022	22U	600 x 1000 x 1200	650 x 1050 x 1300	67
DS6627	27U	600 x 600 x 1400	620 x 630 x 1520	57
DS6827	27U	600 x 800 x 1400	650 x 850 x 1520	67
DS6027	27U	600 x 1000 x 1400	650 x 1050 x 1520	76
DS6632	32U	600 x 600 x 1600	650 x 650 x 1740	60
DS6832	32U	600 x 800 x 1600	650 x 850 x 1740	75
DS6032	32U	600 x 1000 x 1600	650 x 1050 x 1740	84
DS6637	37U	600 x 600 x 1800	650 x 630 x 1965	75
DS6837	37U	600 x 800 x 1800	650 x 850 x 1965	85
DS6037	37U	600 x 1000 x 1800	650 x 1050 x 1965	99
DS6642	42U	600 x 600 x 2000	650 x 650 x 2185	82
DS6842	42U	600 x 800 x 2000	650 x 850 x 2185	94
DS6042	42U	600 x 1000 x 2000	650 x 1050 x 2200	106
DS6242	42U	600 x 1200 x 2000	650 x 1250 x 2200	115
DS6847	47U	600 x 800 x 2200	650 x 850 x 2420	100
DS6047	47U	600 x 1000 x 2200	650 x 1050 x 2420	113